

View Online at <https://aerobasegroup.com/nsn/5915-00-804-6849>

**Overall Height:**

Between 3.126 inches and 3.249 inches

**Body Length:**

Between 2.719 inches and 2.781 inches

**Body Width:**

Between 2.344 inches and 2.406 inches

**Body Height:**

Between 2.782 inches and 2.843 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 2.094 inches and 2.156 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 1.719 inches and 1.781 inches

**Reference Frequency Per Function:**

750.0 hertz blank

**Source Impedance Rating Per Function:**

10.0 kilohms blank

**Load Impedance Per Function:**

10.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

1 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

1.00 hertz blank and 1.50 kilohertz blank and 2.25 kilohertz blank and 4.50 kilohertz blank

**Thread Size:**

0.138 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

1.00 hertz blank and 1.50 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

6.0 blank and 6.0 blank and 35.0 blank and 35.0 blank

**Body Surface Treatment:**

Tin

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0