## NSN 5915-00-808-9785

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-808-9785

Overall Length:
6.250 inches
Overall Height:
4.180 inches
Body Outside Diameter:
0.375 inches
Body Height:
2.350 inches
Vibration Resistance Range In Hertz:
+5.0/+500.0
Operating Tempurature Range:
-54.0/+85.0 degrees celsius
Average Life Rating In Hours:
2000.0
Reference Frequency Per Function:
1.04 gigahertz blank
Source Impedance Rating Per Function:
50.0 ohms blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Voltage Standing Wave Ratio Per Function:
1.35 blank
Average Power Rating Per Function:
10.0 watts blank
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
1 plug-in
Insertion Loss At Reference Frequency Per Function In Decibels:
0.5 blank
Functional Terminal Type And Quantity:
1 connector, receptacle input 1st function
Specified Frequencies Of Discrimination Per Function:
950.00 megahertz blank and 1.23 gigahertz blank and 2.00 gigahertz blank and 10.00 gigahertz blank
Frequency Band Width Per Function:
950.00 megahertz blank and 1.23 gigahertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
1.0 blank and 1.0 blank and 60.0 blank and 60.0 blank

Special Features:

Filter has two terminals

## NSN 5915-00-808-9785

Low Pass Filter - Page 2 of 2



Style	De	sia	nato	١r٠
OLYIC	De.	oig:	IIau	<i>,</i> ,

Round terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0