

View Online at <https://aerobasegroup.com/nsn/5915-00-811-1128>

**Overall Height:**

4.312 inches

**Body Length:**

2.500 inches

**Body Width:**

2.250 inches

**Body Height:**

4.000 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.906 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.688 inches

**Operating Temperature Range:**

+0.0/+65.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

800.0 hertz blank

**Source Impedance Rating Per Function:**

50.0 kilohms blank

**Load Impedance Per Function:**

1.0 megohms blank

**Input Impedance Per Function W/load:**

50.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

1.0 megohms blank

**Principal Circuitry Type Per Function:**

Inductance-resistance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

8.0 blank

**Functional Terminal Type And Quantity:**

1 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

150.00 hertz blank and 550.00 hertz blank and 1.05 kilohertz blank and 2.75 kilohertz blank

**Thread Size:**

0.138 inches

**Frequency Band Width Per Function:**

550.00 hertz blank and 1.05 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

60.0 blank and 3.0 blank and 3.0 blank and 60.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0