

View Online at <https://aerobasegroup.com/nsn/5915-00-828-0527>

Overall Length:

1.937 inches

Body Length:

1.125 inches

Body Width:

1.000 inches

Body Height:

0.688 inches

Unthreaded Mounting Hole Diameter:

0.140 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.438 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.312 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Operating Current Rating Per Function In Amps:

1.0 blank

Maximum Voltage Drop Per Function:

750.0 millivolts ac blank

Maximum Temperature Rise:

25.0 degrees celsius

Full Load Insertion Loss Frequencies In Megahertz:

0.15 and 0.3 and 10.0 and 100.0 and 500.0 and 1000.0

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 unthreaded hole

Functional Terminal Type And Quantity:

1 wire lead output 2nd function

Operating Voltage Rating And Type Per Function:

200.0 volts dc blank

Body Material:

Metal

Unpackaged Unit Weight:

1.500 ounces

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Test Data Document:

02387-63a5a172 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0