

View Online at <https://aerobasegroup.com/nsn/5915-00-829-1813>

Overall Height:

2.125 inches

Body Length:

1.266 inches

Body Width:

1.266 inches

Body Height:

1.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.250 inches

Vibration Resistance Range In Hertz:

+5.0/+25.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.250 inches

Operating Temperature Range:

+0.0/+75.0 degrees celsius

Reference Frequency Per Function:

382.5 kilohertz blank

Input Impedance Per Function W/load:

10.0 kilohms blank

Output Impedance Per Function W/source Across Input:

1.65 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

5.0 blank

Functional Terminal Type And Quantity:

2 turret input 1st function

Specified Frequencies Of Discrimination Per Function:

247.50 kilohertz blank and 347.50 kilohertz blank and 417.50 kilohertz blank and 517.50 kilohertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

347.50 kilohertz blank and 417.50 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0