

View Online at https://aerobasegroup.com/nsn/5915-00-834-2925

| View Online at https://aerobasegroup.com/nsn/5915-00-834-2925 |
|--|
| Overall Length: |
| 5.093 inches |
| Overall Height: |
| 3.750 inches |
| Overall Width: |
| 3.500 inches |
| Body Length: |
| 4.500 inches |
| Body Width: |
| 3.500 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 1.750 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: |
| 3.000 inches |
| Operating Tempurature Range: |
| -55.0/+85.0 degrees celsius |
| Source Impedance Rating Per Function: |
| 50.0 ohms 4th radio interference |
| Load Impedance Per Function: |
| 50.0 ohms 5th radio interference |
| Power Line Frequency Rating Per Function In Hertz: |
| 400.0 5th radio interference |
| Operating Current Rating Per Function In Amps: |
| 2.0 3rd radio interference |
| Principal Circuitry Type Per Function: |
| Inductance-capacitance 5th radio interference |
| Output Terminal Manufacturer Code: |
| 56289 |
| Output Terminal Identification: |
| 44-124-l |
| Mounting Facility Screw Thread Series Designator: |
| Unc |
| Inclosure Type: |
| Encased |
| Mounting Facility Type And Quantity: |
| 6 threaded hole |
| Functional Terminal Type And Quantity: |
| 5 tab, solder lug output 2nd function |
| Operating Voltage Rating And Type Per Function: |
| 125.0 volts ac 1st radio interference 1st function |
| Thread Size: |

0.138 inches

NSN 5915-00-834-2925

Radio Frequency Interference Filter - Page 2 of 2



Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

1.2 kilovolts at sea level

Style Designator:

Rectangular terminal/terminals on adjacent surfaces

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0