NSN 5915-00-836-6552

Radio Frequency Interference Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-836-6552

Overall Height:

6.906 inches

Body Length:

Between 3.970 inches and 4.030 inches

Body Width:

Between 2.970 inches and 3.030 inches

Body Height:

Between 4.970 inches and 5.030 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 2.985 inches and 3.015 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

3.000 inches

Average Life Rating In Hours:

250.0

Source Impedance Rating Per Function:

50.0 ohms 4th radio interference

Load Impedance Per Function:

50.0 ohms 4th radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 4th radio interference

Operating Current Rating Per Function In Amps:

10.0 4th radio interference

Maximum Voltage Drop Per Function:

250.0 millivolts ac 4th radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd radio interference

Input Terminal Manufacturer Code:

71468

Input Terminal Identification:

Gs02-18-11px-001

Maximum Tempurature Rise:

25.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

12 threaded hole

Functional Terminal Type And Quantity:

4 threaded stud output 2nd function

NSN 5915-00-836-6552

Radio Frequency Interference Filter - Page 2 of 2



| Maximum Dielectric Withstanding Ac Rms Voltage: |
|---|
| 312.5 volts at sea level |
| Operating Voltage Rating And Type Per Function: |
| 125.0 volts ac 1st radio interference 1st function |
| Thread Size: |
| 0.190 inches |
| Body Material: |
| Metal |
| Style Designator: |
| Rectangular terminal/terminals on opposite surfaces |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A047b0