NSN 5915-00-843-8045

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-843-8045

Overall Height:

2.190 inches

Body Length:

Between 1.250 inches and 1.312 inches

Body Width:

Between 1.250 inches and 1.312 inches

Body Height:

Between 1.625 inches and 1.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.880 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.880 inches

Operating Tempurature Range:

-55.0/+85.0 degrees celsius

Reference Frequency Per Function:

500.0 hertz blank

Source Impedance Rating Per Function:

3500.0 kilohms blank

Load Impedance Per Function:

3500.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encapsulated

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 tab, solder lug output 2nd function

Specified Frequencies Of Discrimination Per Function:

1.00 hertz blank and 600.00 hertz blank and 1.200 kilohertz blank and 1.500 kilohertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

1.00 hertz blank and 600.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 2.0 blank and 13.0 blank and 17.0 blank

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on one surface

NSN 5915-00-843-8045

Low Pass Filter - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0