

View Online at <https://aerobasegroup.com/nsn/5915-00-846-3684>

**Overall Height:**

4.250 inches

**Body Length:**

3.000 inches

**Body Width:**

1.500 inches

**Body Height:**

3.750 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

2.000 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.000 inches

**Operating Temperature Range:**

-54.0/+71.0 degrees celsius

**Reference Frequency Per Function:**

30.0 megahertz blank

**Input Impedance Per Function W/load:**

1.5 kilohms blank

**Output Impedance Per Function W/source Across Input:**

1.5 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

2.3 blank

**Functional Terminal Type And Quantity:**

1 solder stud input 1st function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

500.0 volts at sea level

**Specified Frequencies Of Discrimination Per Function:**

24.00 megahertz blank and 27.00 megahertz blank and 33.00 megahertz blank and 36.00 megahertz blank

**Thread Size:**

0.138 inches

**Frequency Band Width Per Function:**

27.00 megahertz blank and 33.00 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

55.0 blank and 2.3 blank and 2.3 blank and 55.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0