

View Online at <https://aerobasegroup.com/nsn/5915-00-849-7430>

Overall Length:

5.750 inches

Overall Height:

2.938 inches

Body Length:

5.000 inches

Body Width:

3.156 inches

Body Height:

1.938 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.562 inches

Vibration Resistance Range In Hertz:

+5.0/+1500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.562 inches

Operating Temperature Range:

-65.0/+125.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 5th radio interference

Load Impedance Per Function:

50.0 ohms 6th radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 2nd radio interference

Operating Current Rating Per Function In Amps:

2.0 6th radio interference

Maximum Voltage Drop Per Function:

0.6 volts ac 2nd radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 6th radio interference

Input Terminal Manufacturer Code:

26916

Input Terminal Identification:

Sma-receptacle

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded hole

Features Provided:

Shock resistant

Functional Terminal Type And Quantity:

8 tab, solder lug output 2nd function and

Maximum Dielectric Withstanding Ac Rms Voltage:

250.0 volts at sea level

Operating Voltage Rating And Type Per Function:

100.0 volts dc 4th radio interference 4th function

Thread Size:

0.164 inches

Body Material:

Aluminum

Maximum Dielectric Withstanding Dc Voltage:

200.0 volts at sea level

Special Features:

Twenty-one filtered functions

Style Designator:

Rectangular terminal/terminals on three surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0