NSN 5915-00-850-4277

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-850-4277

Overall Height:
3.500 inches
Body Length:
1.700 inches
Body Width:
1.440 inches
Body Height: 3.000 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.120 inches
Vibration Resistance Range In Hertz:
+10.0/+55.0 Dictance Potygon Contactings Of Mounting Equilities Parallel To Pody Width:
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.620 inches
Operating Tempurature Range:
-40.0/+150.0 degrees celsius
Reference Frequency Per Function:
65.0 kilohertz blank
Source Impedance Rating Per Function:
10.0 kilohms blank
Load Impedance Per Function:
2.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
2.0 blank
Functional Terminal Type And Quantity:
2 tab, solder lug ground 3rd function
Specified Frequencies Of Discrimination Per Function:
55.00 kilohertz blank and 57.50 kilohertz blank and 72.50 kilohertz blank and 75.00 kilohertz blank
Thread Size:
0.164 inches
Body Material:
Metal
Frequency Band Width Per Function:
57.50 kilohertz blank and 72.50 kilohertz blank

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

NSN 5915-00-850-4277

Band Pass Filter - Page 2 of 2



Style Designator:
Rectangular termina

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0