

View Online at <https://aerobasegroup.com/nsn/5915-00-850-4277>

**Overall Height:**

3.500 inches

**Body Length:**

1.700 inches

**Body Width:**

1.440 inches

**Body Height:**

3.000 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.120 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.620 inches

**Operating Tempurature Range:**

-40.0/+150.0 degrees celsius

**Reference Frequency Per Function:**

65.0 kilohertz blank

**Source Impedance Rating Per Function:**

10.0 kilohms blank

**Load Impedance Per Function:**

2.0 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

2.0 blank

**Functional Terminal Type And Quantity:**

2 tab, solder lug ground 3rd function

**Specified Frequencies Of Discrimination Per Function:**

55.00 kilohertz blank and 57.50 kilohertz blank and 72.50 kilohertz blank and 75.00 kilohertz blank

**Thread Size:**

0.164 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

57.50 kilohertz blank and 72.50 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0