

View Online at <https://aerobasegroup.com/nsn/5915-00-851-8810>

**Overall Height:**

2.720 inches

**Body Length:**

2.400 inches

**Body Width:**

2.100 inches

**Body Height:**

2.400 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.900 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.600 inches

**Operating Temperature Range:**

-55.0/+65.0 degrees celsius

**Reference Frequency Per Function:**

935.0 hertz blank

**Input Impedance Per Function W/load:**

600.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

600.0 ohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

7.0 blank

**Functional Terminal Type And Quantity:**

2 pin output 2nd function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

500.0 volts at sea level

**Specified Frequencies Of Discrimination Per Function:**

810.00 hertz blank and 892.50 hertz blank and 977.50 hertz blank and 1.06 kilohertz blank

**Thread Size:**

0.138 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

892.50 hertz blank and 977.50 hertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

26.0 blank and 2.5 blank and 2.5 blank and 26.0 blank

**Special Features:**

One dummy pin terminal

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0