

View Online at <https://aerobasegroup.com/nsn/5915-00-855-4286>

Overall Length:

2.000 inches

Overall Height:

1.660 inches

Overall Width:

3.310 inches

Body Length:

2.000 inches

Body Width:

3.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.500 inches

Vibration Resistance Range In Hertz:

+5.0/+2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.500 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

End Application:

Lgm-30

Reference Frequency Per Function:

2.7 kilohertz blank

Input Impedance Per Function W/load:

900.0 ohms blank

Output Impedance Per Function W/source Across Input:

30.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

18.0 blank

Functional Terminal Type And Quantity:

3 pin input-output/ground

Specified Frequencies Of Discrimination Per Function:

2.40 kilohertz blank and 2.68 kilohertz blank and 2.72 kilohertz blank and 3.00 kilohertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

2.68 kilohertz blank and 2.72 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

Criticality Code Justification:

Agav

Nuclear Hardness Critical Feature:

Hardened

Unpackaged Unit Weight:

17.000 ounces

Style Designator:

Rectangular terminal/terminals on adjacent surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0