NSN 5915-00-856-2704

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-856-2704 **Overall Height:** 3.125 inches **Body Length:** 1.938 inches **Body Width:** 1.812 inches **Body Height:** 2.750 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: 1.375 inches Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 1.250 inches **Operating Tempurature Range:** +0.0/+50.0 degrees celsius **Reference Frequency Per Function:** 800.0 hertz blank **Source Impedance Rating Per Function:** 2.5 kilohms blank **Load Impedance Per Function:** 5.0 kilohms blank Input Impedance Per Function W/load: 2.5 kilohms blank **Output Impedance Per Function W/source Across Input:** 5.0 kilohms blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 threaded stud Insertion Loss At Reference Frequency Per Function In Decibels: **Functional Terminal Type And Quantity:** 1 tab, solder lug output 2nd function **Specified Frequencies Of Discrimination Per Function:** 175.00 hertz blank and 700.00 hertz blank and 5.60 kilohertz blank and 24.40 kilohertz blank **Thread Size:** 0.138 inches **Body Material:** Metal **Frequency Band Width Per Function:**

requestey Bana Width Fer Fancti

700.00 hertz blank and 5.60 kilohertz blank

NSN 5915-00-856-2704

Band Pass Filter - Page 2 of 2



Discrimination At Speci	ficationified Fred	quencies Per Fr	unction In De	cibels:
-------------------------	--------------------	-----------------	---------------	---------

40.0 blank and 18.0 blank and 18.0 blank and 40.0 blank

Maximum Dielectric Withstanding Dc Voltage:

350.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0