NSN 5915-00-856-2705

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-856-2705

Overall Height:
3.125 inches
Body Length:
1.938 inches
Body Width:
1.812 inches
Body Height:
2.750 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
1.375 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.250 inches
Operating Tempurature Range:
+0.0/+50.0 degrees celsius
Reference Frequency Per Function:
2.1 kilohertz blank
Source Impedance Rating Per Function:
5.0 kilohms blank
Load Impedance Per Function:
2.5 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Encased
Mounting Facility Type And Quantity:
4 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
Insertion Loss At Reference Frequency Per Function In Decibels: 0.5 blank
·
0.5 blank
0.5 blank Functional Terminal Type And Quantity:
0.5 blank Functional Terminal Type And Quantity: 1 tab, solder lug output 2nd function
0.5 blank Functional Terminal Type And Quantity: 1 tab, solder lug output 2nd function Specified Frequencies Of Discrimination Per Function:
0.5 blank Functional Terminal Type And Quantity: 1 tab, solder lug output 2nd function Specified Frequencies Of Discrimination Per Function: 1.40 kilohertz blank and 1.50 kilohertz blank and 1.70 kilohertz blank and 5.60 kilohertz blank
0.5 blank Functional Terminal Type And Quantity: 1 tab, solder lug output 2nd function Specified Frequencies Of Discrimination Per Function: 1.40 kilohertz blank and 1.50 kilohertz blank and 1.70 kilohertz blank and 5.60 kilohertz blank Thread Size:
0.5 blank Functional Terminal Type And Quantity: 1 tab, solder lug output 2nd function Specified Frequencies Of Discrimination Per Function: 1.40 kilohertz blank and 1.50 kilohertz blank and 1.70 kilohertz blank and 5.60 kilohertz blank Thread Size: 0.138 inches
0.5 blank Functional Terminal Type And Quantity: 1 tab, solder lug output 2nd function Specified Frequencies Of Discrimination Per Function: 1.40 kilohertz blank and 1.50 kilohertz blank and 1.70 kilohertz blank and 5.60 kilohertz blank Thread Size: 0.138 inches Body Material:
0.5 blank Functional Terminal Type And Quantity: 1 tab, solder lug output 2nd function Specified Frequencies Of Discrimination Per Function: 1.40 kilohertz blank and 1.50 kilohertz blank and 1.70 kilohertz blank and 5.60 kilohertz blank Thread Size: 0.138 inches Body Material: Metal
0.5 blank Functional Terminal Type And Quantity: 1 tab, solder lug output 2nd function Specified Frequencies Of Discrimination Per Function: 1.40 kilohertz blank and 1.50 kilohertz blank and 1.70 kilohertz blank and 5.60 kilohertz blank Thread Size: 0.138 inches Body Material: Metal Frequency Band Width Per Function:

Tin

Body Surface Treatment:

NSN 5915-00-856-2705

Band Pass Filter - Page 2 of 2



Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0