

View Online at <https://aerobasegroup.com/nsn/5915-00-862-4771>

Overall Height:

3.750 inches

Body Length:

7.500 inches

Body Width:

2.562 inches

Body Height:

3.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

6.750 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.000 inches

Operating Temperature Range:

-29.0/+52.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

30.0 megahertz blank

Input Impedance Per Function W/load:

2.0 kilohms blank

Output Impedance Per Function W/source Across Input:

4.7 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

15.0 blank

Functional Terminal Type And Quantity:

2 tab, solder lug output 2nd function

Specified Frequencies Of Discrimination Per Function:

29.60 megahertz blank and 29.80 megahertz blank and 30.20 megahertz blank and 30.40 megahertz blank

Thread Size:

0.164 inches

Body Material:

Metal

Frequency Band Width Per Function:

29.80 megahertz blank and 30.20 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

18876-9975765 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0