

View Online at <https://aerobasegroup.com/nsn/5915-00-881-5067>

**Overall Height:**

5.000 inches

**Body Length:**

4.750 inches

**Body Width:**

2.500 inches

**Body Height:**

4.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 3.990 inches and 4.010 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 1.740 inches and 1.760 inches

**Operating Temperature Range:**

-55.0/+65.0 degrees celsius

**Reference Frequency Per Function:**

1.5 single radio interference two phase to two phase

**Input Impedance Per Function W/load:**

20.0 kilohms 2nd band pass

**Output Impedance Per Function W/source Across Input:**

2.0 kilohms 2nd band pass

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

8 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

4.5 2nd band pass

**Functional Terminal Type And Quantity:**

6 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

600.00 hertz 2nd band pass 2nd function and 1.10 kilohertz 2nd band pass 2nd function and 1.90 kilohertz 2nd band pass 2nd function and 2.40 kilohertz 2nd band pass 2nd function

**Thread Size:**

0.164 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

500.00 hertz 1st band pass and 700.00 hertz 1st band pass

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

40.0 2nd band pass 2nd function and 3.0 2nd band pass 2nd function and 3.0 2nd band pass 2nd function and 30.0 2nd band pass 2nd function

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0