

View Online at <https://aerobasegroup.com/nsn/5915-00-889-4399>

Overall Height:

2.380 inches

Body Length:

3.000 inches

Body Width:

1.750 inches

Body Height:

2.000 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.250 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.125 inches

Operating Temperature Range:

-20.0/+85.0 degrees celsius

Reference Frequency Per Function:

225.0 kilohertz blank

Input Impedance Per Function W/load:

300.0 ohms blank

Output Impedance Per Function W/source Across Input:

300.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

0.5 blank

Functional Terminal Type And Quantity:

2 tab, solder lug ground 3rd function

Specified Frequencies Of Discrimination Per Function:

100.00 kilohertz blank and 350.00 kilohertz blank and 1.50 megahertz blank and 2.00 megahertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

100.00 kilohertz blank and 350.00 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

2.0 blank and 2.5 blank and 45.0 blank and 45.0 blank

Unpackaged Unit Weight:

1.000 pounds

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0