

View Online at <https://aerobasegroup.com/nsn/5915-00-890-7902>

Overall Height:

5.000 inches

Body Length:

4.312 inches

Body Width:

3.687 inches

Body Height:

4.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.312 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

2.687 inches

Operating Temperature Range:

+15.0/+55.0 degrees celsius

Reference Frequency Per Function:

400.0 hertz blank

Input Impedance Per Function W/load:

400.0 ohms blank

Output Impedance Per Function W/source Across Input:

400.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unf

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 turret input and 1 turret output and 1 turret ground

Maximum Dielectric Withstanding Ac Rms Voltage:

1.5 kilovolts at sea level

Specified Frequencies Of Discrimination Per Function:

120.00 hertz blank and 390.00 hertz blank and 410.00 hertz blank and 1.20 kilohertz blank

Thread Size:

0.190 inches

Body Material:

Metal

Frequency Band Width Per Function:

390.00 hertz blank and 410.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

20.0 blank and 3.0 blank and 3.0 blank and 20.0 blank

Unpackaged Unit Weight:

3.000 pounds

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

03538-7644939 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0