

View Online at <https://aerobasegroup.com/nsn/5915-00-899-7910>

Overall Height:

1.083 inches

Body Length:

1.925 inches

Body Width:

1.112 inches

Body Height:

0.864 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.750 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Reference Frequency Per Function:

5.625 megahertz blank

Source Impedance Rating Per Function:

510.0 ohms blank

Load Impedance Per Function:

510.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

5.0 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

5.00 megahertz blank and 5.25 megahertz blank and 6.00 megahertz blank and 6.275 megahertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

5.25 megahertz blank and 6.00 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

6.0 blank and 26.0 blank

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0