NSN 5915-00-904-1064

High Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-904-1064

Body Length:
1.000 inches
Body Width:
1.000 inches
Body Height:
1.375 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
0.500 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.500 inches
Reference Frequency Per Function:
750.0 hertz blank
Input Impedance Per Function W/load:
10.0 kilohms blank
Output Impedance Per Function W/source Across Input:
10.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
1.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Specified Frequencies Of Discrimination Per Function:
250.00 hertz blank and 333.00 hertz blank and 500.00 hertz blank and 1.00 kilohertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
500.00 hertz blank and 1.00 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:
30.0 blank and 30.0 blank and 6.0 blank and 6.0 blank
Unpackaged Unit Weight:
2.250 ounces
Style Designator:
Rectangular terminal/terminals on one surface
Shelf Life:

N/a

NSN 5915-00-904-1064

High Pass Filter - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A047b0