

View Online at <https://aerobasegroup.com/nsn/5915-00-904-7347>

**Overall Height:**

1.484 inches

**Body Length:**

0.750 inches

**Body Width:**

0.750 inches

**Body Height:**

1.109 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

0.500 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.500 inches

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Reference Frequency Per Function:**

5.0 kilohertz blank

**Input Impedance Per Function W/load:**

10.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

10.0 kilohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

4.0 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

2.50 kilohertz blank and 4.80 kilohertz blank and 5.20 kilohertz blank and 10.00 kilohertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

4.80 kilohertz blank and 5.20 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

35.0 blank and 4.0 blank and 4.0 blank and 35.0 blank

**Special Features:**

Mtg studs in opposite corners

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0