

View Online at <https://aerobasegroup.com/nsn/5915-00-909-8101>

Overall Height:

1.484 inches

Body Length:

0.750 inches

Body Width:

0.750 inches

Body Height:

1.109 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.562 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

14.0 kilohertz blank

Input Impedance Per Function W/load:

10.0 kilohms blank

Output Impedance Per Function W/source Across Input:

10.0 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

4.0 blank

Functional Terminal Type And Quantity:

1 pin output 2nd function

Specified Frequencies Of Discrimination Per Function:

7.00 kilohertz blank and 13.15 kilohertz blank and 14.85 kilohertz blank and 28.00 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

13.15 kilohertz blank and 14.85 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

35.0 blank and 3.0 blank and 3.0 blank and 35.0 blank

Special Features:

Mounting studs on adjacent corners

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0