

View Online at <https://aerobasegroup.com/nsn/5915-00-909-8101>

**Overall Height:**

1.484 inches

**Body Length:**

0.750 inches

**Body Width:**

0.750 inches

**Body Height:**

1.109 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

0.562 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

14.0 kilohertz blank

**Input Impedance Per Function W/load:**

10.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

10.0 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

2 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

4.0 blank

**Functional Terminal Type And Quantity:**

1 pin output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

7.00 kilohertz blank and 13.15 kilohertz blank and 14.85 kilohertz blank and 28.00 kilohertz blank

**Thread Size:**

0.112 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

13.15 kilohertz blank and 14.85 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

35.0 blank and 3.0 blank and 3.0 blank and 35.0 blank

**Special Features:**

Mounting studs on adjacent corners

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0