

View Online at <https://aerobasegroup.com/nsn/5915-00-910-7123>

Overall Height:

0.985 inches

Body Length:

2.734 inches

Body Width:

0.500 inches

Body Height:

0.766 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.492 inches and 1.508 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 0.192 inches and 0.208 inches

Operating Temperature Range:

-40.0/+75.0 degrees celsius

Reference Frequency Per Function:

455.0 kilohertz blank

Source Impedance Rating Per Function:

50.0 kilohms blank

Load Impedance Per Function:

500.0 ohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

10.5 blank

Functional Terminal Type And Quantity:

2 pin ground 3rd function

Specified Frequencies Of Discrimination Per Function:

454.55 megahertz blank and 454.73 megahertz blank and 455.27 megahertz blank and 455.45 megahertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

454.55 megahertz blank and 455.45 megahertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

70.0 blank and 3.5 blank and 3.5 blank and 70.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0