## NSN 5915-00-910-9319

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-910-9319 **Overall Height:** 2.500 inches **Body Length:** 4.531 inches **Body Width:** 1.000 inches **Body Height:** 2.250 inches **Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:** 4.125 inches **Vibration Resistance Range In Hertz:** +10.0/+55.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.719 inches **Operating Tempurature Range:** -65.0/+90.0 degrees celsius **Reference Frequency Per Function:** 1.0 kilohertz blank Input Impedance Per Function W/load: 30.0 kilohms blank **Output Impedance Per Function W/source Across Input:** 30.0 kilohms blank **Mounting Facility Screw Thread Series Designator:** Unc **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

5.0 blank

**Functional Terminal Type And Quantity:** 

1 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:** 

650.00 hertz blank and 825.00 hertz blank and 1.175 kilohertz blank and 1.350 kilohertz blank

**Thread Size:** 

0.132 inches

**Body Material:** 

Metal

**Frequency Band Width Per Function:** 

825.00 hertz blank and 1.175 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:** 

40.0 blank and 6.0 blank and 40.0 blank

## NSN 5915-00-910-9319

Band Pass Filter - Page 2 of 2



C1	_	_	<b>`</b>	:		_	4.	_	-	_
Sty	ıе	L	es	IQ	n	а	t	o	r	:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0