

View Online at <https://aerobasegroup.com/nsn/5915-00-910-9319>

**Overall Height:**

2.500 inches

**Body Length:**

4.531 inches

**Body Width:**

1.000 inches

**Body Height:**

2.250 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

4.125 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

0.719 inches

**Operating Temperature Range:**

-65.0/+90.0 degrees celsius

**Reference Frequency Per Function:**

1.0 kilohertz blank

**Input Impedance Per Function W/load:**

30.0 kilohms blank

**Output Impedance Per Function W/source Across Input:**

30.0 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

5.0 blank

**Functional Terminal Type And Quantity:**

1 tab, solder lug output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

650.00 hertz blank and 825.00 hertz blank and 1.175 kilohertz blank and 1.350 kilohertz blank

**Thread Size:**

0.132 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

825.00 hertz blank and 1.175 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

40.0 blank and 6.0 blank and 6.0 blank and 40.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0