

View Online at <https://aerobasegroup.com/nsn/5915-00-914-5341>

**Overall Height:**

Between 1.118 inches and 1.182 inches

**Body Length:**

Between 2.234 inches and 2.266 inches

**Body Width:**

Between 0.980 inches and 1.020 inches

**Body Height:**

Between 0.784 inches and 0.816 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 1.585 inches and 1.695 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.595 inches and 0.605 inches

**Operating Temperature Range:**

-55.0/+85.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

5.1250 megahertz blank

**Input Impedance Per Function W/load:**

50.0 ohms blank

**Output Impedance Per Function W/source Across Input:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Crystal blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.0 blank

**Functional Terminal Type And Quantity:**

1 solder stud input 1st function

**Specified Frequencies Of Discrimination Per Function:**

4.995 megahertz blank and 5.083 megahertz blank and 5.167 megahertz blank and 5.255 megahertz blank

**Thread Size:**

0.112 inches

**Frequency Band Width Per Function:**

5.083 megahertz blank and 5.167 megahertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

80.0 blank and 6.0 blank and 6.0 blank and 80.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0