

View Online at <https://aerobasegroup.com/nsn/5915-00-917-7662>

**Overall Length:**

2.531 inches

**Body Length:**

1.250 inches

**Body Outside Diameter:**

0.875 inches

**Vibration Resistance Range In Hertz:**

+5.0/+500.0

**Operating Temperature Range:**

-20.0/+55.0 degrees celsius

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Operating Current Rating Per Function In Amps:**

4.0 blank

**Maximum Voltage Drop Per Function:**

200.0 millivolts dc blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance blank

**Maximum Temperature Rise:**

25.0 degrees celsius

**Mounting Facility Screw Thread Series Designator:**

Unef

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

1 threaded bushing

**Functional Terminal Type And Quantity:**

1 tab, solder lug output 2nd function

**Operating Voltage Rating And Type Per Function:**

27.5 volts dc blank

**Thread Size:**

0.500 inches

**Maximum Dielectric Withstanding Dc Voltage:**

60.0 volts at sea level

**Body Surface Treatment:**

Tin

**Unpackaged Unit Weight:**

4.000 ounces

**Style Designator:**

Round terminal/terminals on opposite surfaces

**Test Data Document:**

81413-140782-000 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A047b0