

View Online at <https://aerobasegroup.com/nsn/5915-00-927-8657>

Overall Height:

1.225 inches

Body Length:

4.055 inches

Body Width:

1.310 inches

Body Height:

1.025 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

3.400 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.900 inches

Operating Temperature Range:

-55.0/+105.0 degrees celsius

Reference Frequency Per Function:

18.75 kilohertz blank

Input Impedance Per Function W/load:

27.99 kilohms blank

Output Impedance Per Function W/source Across Input:

27.99 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

2 wire lead ground 3rd function

Specified Frequencies Of Discrimination Per Function:

18.625 kilohertz blank and 18.74 kilohertz blank and 18.76 kilohertz blank and 18.875 kilohertz blank

Thread Size:

0.112 inches

Body Material:

Metal

Frequency Band Width Per Function:

18.74 kilohertz blank and 18.76 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

60.0 blank and 6.0 blank and 6.0 blank and 60.0 blank

Maximum Dielectric Withstanding Dc Voltage:

500.0 volts at sea level

Body Surface Treatment:

Tin

Unpackaged Unit Weight:

284.000 grams

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0