NSN 5915-00-928-3270

Low Pass Filter - Page 1 of 2

Overall Height:



View Online at https://aerobasegroup.com/nsn/5915-00-928-3270

0.788 inches
Body Length:
2.500 inches
Body Width:
1.250 inches
Body Height:
0.688 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
2.250 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
0.750 inches
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Reference Frequency Per Function:
1.0 kilohertz blank
Source Impedance Rating Per Function:
5.0 kilohms blank
Load Impedance Per Function:
5.0 kilohms blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
4 threaded hole
Insertion Loss At Reference Frequency Per Function In Decibels:
1.0 blank
Functional Terminal Type And Quantity:
1 pin output 2nd function
Maximum Dielectric Withstanding Ac Rms Voltage:
200.0 volts at sea level
Specified Frequencies Of Discrimination Per Function:
300.00 hertz blank and 2.50 kilohertz blank and 1.60 kilohertz blank and 9.00 kilohertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Frequency Band Width Per Function:
300.00 hertz blank and 2.50 kilohertz blank
Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 18.0 blank and 60.0 blank

NSN 5915-00-928-3270

Low Pass Filter - Page 2 of 2



Body Surface Treatment:
Tin
Style Designator:
Rectangular terminal/terminals on one surface
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A047b0