

View Online at <https://aerobasegroup.com/nsn/5915-00-930-4439>

**Overall Height:**

3.565 inches

**Body Length:**

2.312 inches

**Body Width:**

2.062 inches

**Body Height:**

3.125 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

1.687 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

1.437 inches

**Operating Temperature Range:**

-40.0/+80.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

2.0 kilohertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Principal Circuitry Type Per Function:**

Inductance-capacitance-resistance blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

4 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

18.0 blank

**Functional Terminal Type And Quantity:**

1 turret output 2nd function

**Maximum Dielectric Withstanding Ac Rms Voltage:**

100.0 volts at sea level

**Specified Frequencies Of Discrimination Per Function:**

400.00 hertz blank and 1.25 kilohertz blank and 2.61 kilohertz blank and 3.70 kilohertz blank

**Thread Size:**

0.138 inches

**Frequency Band Width Per Function:**

1.25 kilohertz blank and 2.61 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 3.0 blank and 3.0 blank and 30.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0