

View Online at <https://aerobasegroup.com/nsn/5915-00-930-4440>

Overall Height:

4.690 inches

Body Length:

3.062 inches

Body Width:

2.625 inches

Body Height:

4.250 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.296 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.859 inches

Operating Temperature Range:

-40.0/+80.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

425.0 single high pass two phase to two phase

Input Impedance Per Function W/load:

600.0 ohms 2nd band pass

Output Impedance Per Function W/source Across Input:

600.0 ohms 2nd band pass

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

8.0 1st band pass

Functional Terminal Type And Quantity:

2 turret input 1st function

Maximum Dielectric Withstanding Ac Rms Voltage:

100.0 volts at sea level

Specified Frequencies Of Discrimination Per Function:

2662.00 kilohertz 1st band pass 1st function and 2947.00 kilohertz 1st band pass 1st function and 2530.00 kilohertz 1st band pass 1st function and 3120.00 kilohertz 1st band pass 1st function

Thread Size:

0.164 inches

Body Material:

Metal

Frequency Band Width Per Function:

382.50 kilohertz 2nd band pass and 467.50 hertz 2nd band pass

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 1st band pass 1st function and 3.0 1st band pass 1st function and 3.0 1st band pass 1st function and 30.0 1st band pass 1st function

Unpackaged Unit Weight:

2.000 pounds

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0