

View Online at <https://aerobasegroup.com/nsn/5915-00-931-9672>

Overall Length:

3.320 inches

Overall Height:

1.000 inches

Overall Width:

1.470 inches

Body Length:

2.920 inches

Body Width:

0.750 inches

Unthreaded Mounting Hole Diameter:

Between 0.135 inches and 0.145 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

2.562 inches

Vibration Resistance Range In Hertz:

+10.0/+500.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.125 inches

Operating Temperature Range:

-55.0/+95.0 degrees celsius

Input Terminal Manufacturer Code:

29537

Input Terminal Identification:

Aas-60t-l4x

Output Terminal Manufacturer Code:

29537

Output Terminal Identification:

Aas-60t-l4x

Maximum Temperature Rise:

30.0 degrees celsius

Full Load Insertion Loss Frequencies In Megahertz:

0.15 and 0.5 and 1.0 and 5.0 and 10.0 and 20.0

Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:

18.0 and 40.0 and 50.0 and 60.0 and 50.0 and 40.0

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 unthreaded hole

Functional Terminal Type And Quantity:

7 tab, solder lug output 2nd function

Body Material:

Metal

Special Features:

7 functions

Unpackaged Unit Weight:

4.000 ounces

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Test Data Document:

06481-905122-1 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A047b0