NSN 5915-00-937-6708

Low Pass Filter - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5915-00-937-6708 **Overall Length:** 3.438 inches **Body Length:** 2.250 inches **Body Outside Diameter:** 0.672 inches **Operating Tempurature Range:** +0.0/+85.0 degrees celsius **Reference Frequency Per Function:** 500.0 kilohertz blank **Principal Circuitry Type Per Function:** Inductance-capacitance blank **Mounting Facility Screw Thread Series Designator:** Unf **Inclosure Type:** Hermetically sealed **Mounting Facility Type And Quantity:** 1 threaded bushing Insertion Loss At Reference Frequency Per Function In Decibels: 1.5 blank **Functional Terminal Type And Quantity:** 1 tab, solder lug output 2nd function **Specified Frequencies Of Discrimination Per Function:** 0.00 hertz blank and 1.00 kilohertz blank and 128.00 kilohertz blank and 1.00 gigahertz blank **Thread Size:** 0.3125 inches **Frequency Band Width Per Function:** 0.00 hertz blank and 1.00 kilohertz blank Discrimination At Specificationified Frequencies Per Function In Decibels: 1.5 blank and 1.5 blank and 80.0 blank and 80.0 blank **Style Designator:** Round terminal/terminals on opposite surfaces **Test Data Document:** 98230-0n039358 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Fiig: A047b0

Yes - demil/mli