

View Online at <https://aerobasegroup.com/nsn/5915-00-937-7496>

**Overall Length:**

3.635 inches

**Body Length:**

2.941 inches

**Body Width:**

1.535 inches

**Body Height:**

1.476 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

3.200 inches

**Reference Frequency Per Function:**

40.0 lead styphnate bead pulses per second

**Input Impedance Per Function W/load:**

50.0 ohms 1st low pass

**Output Impedance Per Function W/source Across Input:**

50.0 ohms 1st low pass

**Principal Circuitry Type Per Function:**

Inductance-capacitance 2nd low pass

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

2 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 1st low pass

**Functional Terminal Type And Quantity:**

2 connector, receptacle output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

53.00 megahertz 2nd low pass and 76.00 megahertz 2nd low pass and 106.00 megahertz 2nd low pass and 200.00 megahertz 2nd low pass

**Thread Size:**

0.112 inches

**Frequency Band Width Per Function:**

30.00 megahertz 1st low pass and 50.00 megahertz 1st low pass

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

1.0 2nd low pass and 1.0 2nd low pass and 50.0 2nd low pass and 50.0 2nd low pass

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0