

View Online at <https://aerobasegroup.com/nsn/5915-00-938-8748>

Overall Height:

3.500 inches

Body Length:

2.312 inches

Body Width:

2.062 inches

Body Height:

3.125 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.688 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

1.438 inches

Operating Temperature Range:

+0.0/+65.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

25.0 kilohertz blank

Input Impedance Per Function W/load:

600.0 ohms blank

Output Impedance Per Function W/source Across Input:

30.0 kilohms blank

Principal Circuitry Type Per Function:

Inductance-capacitance blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

2 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

1.5 blank

Functional Terminal Type And Quantity:

1 wire hook output 2nd function

Specified Frequencies Of Discrimination Per Function:

12.50 kilohertz blank and 24.85 kilohertz blank and 25.15 kilohertz blank and 37.50 kilohertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

24.85 kilohertz blank and 25.15 kilohertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

40.0 blank and 3.0 blank and 3.0 blank and 40.0 blank

Unpackaged Unit Weight:

1.200 pounds

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

03538-7759961 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A047b0