

View Online at <https://aerobasegroup.com/nsn/5915-00-942-1125>

**Overall Length:**

Between 1.453 inches and 1.485 inches

**Overall Height:**

2.219 inches

**Overall Width:**

Between 1.640 inches and 1.672 inches

**Body Length:**

1.672 inches

**Body Width:**

1.485 inches

**Body Height:**

Between 1.734 inches and 1.766 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 1.370 inches and 1.380 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

Between 0.932 inches and 0.942 inches

**Reference Frequency Per Function:**

935.0 hertz blank

**Source Impedance Rating Per Function:**

50.0 ohms blank

**Load Impedance Per Function:**

50.0 ohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

1 threaded stud

**Insertion Loss At Reference Frequency Per Function In Decibels:**

3.0 blank

**Functional Terminal Type And Quantity:**

1 threaded stud output 2nd function

**Specified Frequencies Of Discrimination Per Function:**

850.00 hertz blank and 892.50 hertz blank and 977.50 hertz blank and 1.02 kilohertz blank

**Thread Size:**

0.138 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

892.50 hertz blank and 977.50 hertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

30.0 blank and 6.0 blank and 6.0 blank and 30.0 blank

**Style Designator:**

Rectangular terminal/terminals on one surface

**Test Data Document:**

05729-c8955-8 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0