

View Online at <https://aerobasegroup.com/nsn/5915-00-942-1125>

Overall Length:

Between 1.453 inches and 1.485 inches

Overall Height:

2.219 inches

Overall Width:

Between 1.640 inches and 1.672 inches

Body Length:

1.672 inches

Body Width:

1.485 inches

Body Height:

Between 1.734 inches and 1.766 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.370 inches and 1.380 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 0.932 inches and 0.942 inches

Reference Frequency Per Function:

935.0 hertz blank

Source Impedance Rating Per Function:

50.0 ohms blank

Load Impedance Per Function:

50.0 ohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

1 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 threaded stud output 2nd function

Specified Frequencies Of Discrimination Per Function:

850.00 hertz blank and 892.50 hertz blank and 977.50 hertz blank and 1.02 kilohertz blank

Thread Size:

0.138 inches

Body Material:

Metal

Frequency Band Width Per Function:

892.50 hertz blank and 977.50 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 blank and 6.0 blank and 6.0 blank and 30.0 blank

Style Designator:

Rectangular terminal/terminals on one surface

Test Data Document:

05729-c8955-8 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0