

View Online at <https://aerobasegroup.com/nsn/5915-00-945-4902>

Overall Height:

3.562 inches

Body Length:

2.425 inches

Body Width:

1.875 inches

Body Height:

3.188 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 1.195 inches and 2.005 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

Between 1.234 inches and 1.266 inches

Operating Temperature Range:

-20.0/+71.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

1.995 single radio interference two phase to two phase

Source Impedance Rating Per Function:

150.0 ohms 2nd band pass

Load Impedance Per Function:

20.0 kilohms 2nd band pass

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Insertion Loss At Reference Frequency Per Function In Decibels:

1.0 2nd band pass

Functional Terminal Type And Quantity:

6 turret output 2nd function

Maximum Dielectric Withstanding Ac Rms Voltage:

100.0 volts at altitude

Specified Frequencies Of Discrimination Per Function:

500.00 hertz 1st band pass 1st function and 875.00 hertz 1st band pass 1st function and 995.00 hertz 1st band pass 1st function and 1.705 kilohertz 1st band pass 1st function

Thread Size:

0.138 inches

Frequency Band Width Per Function:

875.00 hertz 1st band pass and 995.00 kilohertz 1st band pass

Discrimination At Specificationified Frequencies Per Function In Decibels:

30.0 1st band pass 1st function and 3.0 1st band pass 1st function and 3.0 1st band pass 1st function and 30.0 1st band pass 1st function

Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0