

View Online at <https://aerobasegroup.com/nsn/5915-00-947-2623>

Overall Length:

14.147 inches

Body Length:

1.438 inches

Body Width:

0.750 inches

Body Height:

1.312 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

0.875 inches

Vibration Resistance Range In Hertz:

+10.0/+2000.0

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

0.625 inches

Operating Tempurature Range:

-55.0/+85.0 degrees celsius

Source Impedance Rating Per Function:

50.0 ohms 2nd radio interference

Load Impedance Per Function:

50.0 ohms 2nd radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 2nd radio interference

Operating Current Rating Per Function In Amps:

3.0 2nd radio interference

Maximum Voltage Drop Per Function:

1.0 volts ac 1st radio interference

Maximum Tempurature Rise:

25.0 degrees celsius

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

4 threaded stud

Functional Terminal Type And Quantity:

1 tab, solder lug output 2nd function

Operating Voltage Rating And Type Per Function:

125.0 volts ac 1st radio interference 1st function and 28.0 volts dc 1st radio interference 1st function

Thread Size:

0.112 inches

Body Material:

Metal

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Test Data Document:

81413-188897-000 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0