

View Online at <https://aerobasegroup.com/nsn/5915-00-947-9706>

**Overall Height:**

1.734 inches

**Body Length:**

3.000 inches

**Body Width:**

0.688 inches

**Body Height:**

1.250 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

Between 2.540 inches and 2.560 inches

**Vibration Resistance Range In Hertz:**

+10.0/+55.0

**Operating Temperature Range:**

-30.0/+65.0 degrees celsius

**Average Life Rating In Hours:**

10000.0

**Reference Frequency Per Function:**

1.825 kilohertz blank

**Source Impedance Rating Per Function:**

6.0 kilohms blank

**Load Impedance Per Function:**

6.0 kilohms blank

**Mounting Facility Screw Thread Series Designator:**

Unc

**Inclosure Type:**

Encased

**Mounting Facility Type And Quantity:**

2 threaded hole

**Insertion Loss At Reference Frequency Per Function In Decibels:**

0.2 blank

**Functional Terminal Type And Quantity:**

1 wire lead input 1st function

**Specified Frequencies Of Discrimination Per Function:**

300.00 hertz blank and 3.50 kilohertz blank and 4.50 kilohertz blank and 8.00 kilohertz blank

**Thread Size:**

0.138 inches

**Body Material:**

Metal

**Frequency Band Width Per Function:**

300.00 hertz blank and 3.50 kilohertz blank

**Discrimination At Specificationified Frequencies Per Function In Decibels:**

0.2 blank and 0.8 blank and 34.0 blank and 37.0 blank

**Maximum Dielectric Withstanding Dc Voltage:**

100.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on one surface

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A047b0