## NSN 5915-00-951-3652

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-951-3652 **Overall Length:** 13.249 inches **Overall Height:** 1.188 inches **Body Length: 7.249 inches Body Width:** 1.188 inches **Unthreaded Mounting Hole Diameter:** 0.125 inches Vibration Resistance Range In Hertz: +10.0/+2000.0 Distance Between Centerlines Of Mounting Facilities Parallel To Body Width: 0.906 inches **Operating Tempurature Range:** -54.0/+125.0 degrees celsius **Reference Frequency Per Function:** 1.085 gigahertz blank Input Impedance Per Function W/load: 50.0 ohms blank **Output Impedance Per Function W/source Across Input:** 50.0 ohms blank **Inclosure Type:** Encased **Mounting Facility Type And Quantity:** 4 unthreaded hole Insertion Loss At Reference Frequency Per Function In Decibels: 0.5 blank **Functional Terminal Type And Quantity:** 1 connector, receptacle input 1st function

#### **Specified Frequencies Of Discrimination Per Function:**

950.00 megahertz blank and 1.22 gigahertz blank and 1.75 gigahertz blank and 11.00 gigahertz blank

**Body Material:** 

Metal

#### **Frequency Band Width Per Function:**

950.00 megahertz blank and 1.220 gigahertz blank

### Discrimination At Specificationified Frequencies Per Function In Decibels:

1.0 blank and 1.0 blank and 65.0 blank and 65.0 blank

**Body Surface Treatment:** 

Silver

#### **Precious Material And Location:**

Body silver

# NSN 5915-00-951-3652

Low Pass Filter - Page 2 of 2

A047b0



Precious Material:
Silver
Style Designator:
Rectangular terminal/terminals on opposite surfaces
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig: