## NSN 5915-00-951-5203

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-951-5203

Overall Length:
1.900 inches
Overall Height:
0.700 inches
Overall Width:
1.750 inches
Body Length:
1.750 inches
Body Width:
1.750 inches
Vibration Resistance Range In Hertz:
+10.0/+55.0
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:
1.250 inches
Operating Tempurature Range:
-40.0/+65.0 degrees celsius
Reference Frequency Per Function:
11.5 megahertz blank
Input Impedance Per Function W/load:
50.0 ohms blank
Output Impedance Per Function W/source Across Input:
50.0 ohms blank
Principal Circuitry Type Per Function:
Crystal blank
Mounting Facility Screw Thread Series Designator:
Unc
Inclosure Type:
Hermetically sealed
Mounting Facility Type And Quantity:
2 threaded stud
Insertion Loss At Reference Frequency Per Function In Decibels:
3.2 blank
Functional Terminal Type And Quantity:
2 tab, solder lug output 2nd function
Specified Frequencies Of Discrimination Per Function:
11.455 megahertz blank and 11.482 megahertz blank and 11.518 megahertz blank and 11.545 megahertz blank
Thread Size:
0.112 inches
Body Material:
Metal
Francisco Pand Width Day Cynation

Frequency Band Width Per Function:

11.482 megahertz blank and 11.518 megahertz blank

## NSN 5915-00-951-5203

Band Pass Filter - Page 2 of 2



<b>Discrimination At Speci</b>	ficationified Frequ	ıencies Per Fu	ınction In Decibels:
--------------------------------	---------------------	----------------	----------------------

60.0 blank and 6.0 blank and 60.0 blank

**Style Designator:** 

Rectangular terminal/terminals on adjacent surfaces

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A047b0