NSN 5915-00-952-8397

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-952-8397

Overall Height:

Between 2.220 inches and 2.280 inches

Body Length:

Between 3.220 inches and 3.280 inches

Body Width:

0.820 inches

Body Height:

Between 2.220 inches and 2.280 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 2.584 inches and 2.716 inches

Vibration Resistance Range In Hertz:

+10.0/+55.0

Operating Tempurature Range:

-40.0/+85.0 degrees celsius

Average Life Rating In Hours:

10000.0

Reference Frequency Per Function:

200.0 hertz blank

Source Impedance Rating Per Function:

2.65 kilohms blank

Load Impedance Per Function:

1.8 kilohms blank

Mounting Facility Screw Thread Series Designator:

Unc

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

1 threaded hole

Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

Functional Terminal Type And Quantity:

1 wire lead input 1st function

Specified Frequencies Of Discrimination Per Function:

100.00 hertz blank and 540.00 hertz blank and 1.25 kilohertz blank and 2.00 kilohertz blank

Thread Size:

0.138 inches

Frequency Band Width Per Function:

100.00 hertz blank and 540.00 hertz blank

Discrimination At Specificationified Frequencies Per Function In Decibels:

 $3.0\,$ blank and $3.0\,$ blank and $40.0\,$ blank and $50.0\,$ blank

Maximum Dielectric Withstanding Dc Voltage:

100.0 volts at sea level

NSN 5915-00-952-8397

Low Pass Filter - Page 2 of 2



Style Designator:

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A047b0