

View Online at <https://aerobasegroup.com/nsn/5915-00-963-1456>

Overall Length:

7.000 inches

Overall Height:

5.750 inches

Overall Width:

9.000 inches

Body Length:

5.500 inches

Body Width:

7.000 inches

Unthreaded Mounting Hole Diameter:

0.200 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

6.500 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

6.000 inches

Source Impedance Rating Per Function:

50.0 ohms 4th radio interference

Load Impedance Per Function:

50.0 ohms 4th radio interference

Power Line Frequency Rating Per Function In Hertz:

400.0 4th radio interference

Operating Current Rating Per Function In Amps:

30.0 1st radio interference

Maximum Voltage Drop Per Function:

500.0 millivolts ac 4th radio interference

Principal Circuitry Type Per Function:

Inductance-capacitance 3rd radio interference

Full Load Insertion Loss Frequencies In Megahertz:

0.014 and 0.1 and 100.0 and 1000.0

Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:

20.0 and 80.0 and 30.0 and 30.0

Inclosure Type:

Hermetically sealed

Mounting Facility Type And Quantity:

6 unthreaded hole

Functional Terminal Type And Quantity:

4 threaded stud output 2nd function

Operating Voltage Rating And Type Per Function:

208.0 volts ac 4th radio interference 4th function

Body Material:

Metal

Maximum Dielectric Withstanding Dc Voltage:

600.0 volts at sea level

Style Designator:

Rectangular terminal/terminals on opposite surfaces

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A047b0