

View Online at <https://aerobasegroup.com/nsn/5915-00-963-1456>

**Overall Length:**

7.000 inches

**Overall Height:**

5.750 inches

**Overall Width:**

9.000 inches

**Body Length:**

5.500 inches

**Body Width:**

7.000 inches

**Unthreaded Mounting Hole Diameter:**

0.200 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:**

6.500 inches

**Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:**

6.000 inches

**Source Impedance Rating Per Function:**

50.0 ohms 4th radio interference

**Load Impedance Per Function:**

50.0 ohms 4th radio interference

**Power Line Frequency Rating Per Function In Hertz:**

400.0 4th radio interference

**Operating Current Rating Per Function In Amps:**

30.0 1st radio interference

**Maximum Voltage Drop Per Function:**

500.0 millivolts ac 4th radio interference

**Principal Circuitry Type Per Function:**

Inductance-capacitance 3rd radio interference

**Full Load Insertion Loss Frequencies In Megahertz:**

0.014 and 0.1 and 100.0 and 1000.0

**Full Load Minimum Insertion Loss At Specificationified Frequency In Decibels:**

20.0 and 80.0 and 30.0 and 30.0

**Inclosure Type:**

Hermetically sealed

**Mounting Facility Type And Quantity:**

6 unthreaded hole

**Functional Terminal Type And Quantity:**

4 threaded stud output 2nd function

**Operating Voltage Rating And Type Per Function:**

208.0 volts ac 4th radio interference 4th function

**Body Material:**

Metal

**Maximum Dielectric Withstanding Dc Voltage:**

600.0 volts at sea level

**Style Designator:**

Rectangular terminal/terminals on opposite surfaces

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A047b0