# NSN 5915-00-966-7664

Low Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-966-7664

# **Overall Height:**

3.437 inches

#### **Body Length:**

2.250 inches

#### Body Width:

2.000 inches

#### **Body Height:**

#### 3.125 inches

#### Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

1.687 inches

# Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:

#### 1.437 inches

**Reference Frequency Per Function:** 

#### 95.9 hertz blank

Input Impedance Per Function W/load:

# 10.0 kilohms blank

# Output Impedance Per Function W/source Across Input:

10.0 kilohms blank

#### Principal Circuitry Type Per Function:

Inductance-capacitance blank

#### Mounting Facility Screw Thread Series Designator:

Unc

#### Inclosure Type:

Encased

#### Mounting Facility Type And Quantity:

1 threaded stud

#### Insertion Loss At Reference Frequency Per Function In Decibels:

3.0 blank

#### Functional Terminal Type And Quantity:

1 turret output 2nd function

#### Specified Frequencies Of Discrimination Per Function:

0.00 hertz blank and 190.00 hertz blank and 240.00 hertz blank and 480.00 hertz blank

#### Thread Size:

0.164 inches

#### **Frequency Band Width Per Function:**

0.00 hertz blank and 190.00 hertz blank

#### Discrimination At Specificationified Frequencies Per Function In Decibels:

3.0 blank and 3.0 blank and 50.0 blank and 75.0 blank

#### Style Designator:

Rectangular terminal/terminals on one surface

#### Shelf Life:

N/a

# NSN 5915-00-966-7664

Low Pass Filter - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A047b0

