## NSN 5915-00-971-5777

Band Pass Filter - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5915-00-971-5777

Overall Height:			
4.000 inches			
Body Length:			
1.750 inches			
Body Width:			
1.750 inches			
Body Height:			
3.500 inches			
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:			
1.250 inches			
Vibration Resistance Range In Hertz:			
+10.0/+500.0			
Distance Between Centerlines Of Mounting Facilities Parallel To Body Width:			
1.250 inches			
Operating Tempurature Range:			
-55.0/+85.0 degrees celsius			
Reference Frequency Per Function:			
1.625 kilohertz blank			
Source Impedance Rating Per Function:			
600.0 ohms blank			
Load Impedance Per Function:			
500.0 kilohms blank			
Principal Circuitry Type Per Function:			
Inductance-capacitance blank			
Mounting Facility Screw Thread Series Designator:			
Unc			
Inclosure Type:			
Hermetically sealed			
Mounting Facility Type And Quantity:			
4 threaded stud			
Insertion Loss At Reference Frequency Per Function In Decibels:			
3.0 blank			
Functional Terminal Type And Quantity:			
1 standard tube base input-output/ground			
Specified Frequencies Of Discrimination Per Function:			
1.575 kilohertz blank and 1.60 kilohertz blank and 1.65 kilohertz blank and 1.675 kilohertz blank			
Thread Size:			
0.138 inches			
Body Material:			
Metal			
Frequency Band Width Per Function:			

1.60 kilohertz blank and 1.65 kilohertz blank

## NSN 5915-00-971-5777

Band Pass Filter - Page 2 of 2



Discrimination At S	Specificationified Fred	quencies Per Function	n In Decibels:
---------------------	-------------------------	-----------------------	----------------

3.0 blank and 30.0 blank

**Style Designator:** 

Rectangular terminal/terminals on one surface

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A047b0